

research therefore aims at providing a proactive contribution to the solution of problems related to infrastructure monitoring and management using alternative methods. We believe that the ability to infer the behavior of the entire infrastructure from monitoring of selected parameters (e.g., displacements, can be of great interests for institutions dealing with limited maintenance resources, as well as providing an excellent instrument for guaranteeing the safety of end users.

References:

- [1] Gentile, C., Cabboi, A.: Vibration-based structural health monitoring of stay cables by microwave remote sensing. *Smart Struct. Syst.* 16, 263–280 (2015)
- [2] Harris, D.K., Brooks, C.N., Ahlborn, T.M.: Synthesis of field performance of remote sensing strategies for condition assessment of inservice bridges in Michigan. *J. Perform. Constr. Facil.* 30, 04016027 (2016)
- [3] Vaghefi, K., et al.: Evaluation of commercially available remote sensors for highway bridge condition assessment. *J. Bridge Eng.* 17, 886–895 (2012) 646 V. Barrile et al.
- [4] Chen, S.-E., Liu, W., Dai, K., Bian, H., Hauser, E.: Remote sensing for bridge monitoring. In: *Condition, Reliability, and Resilience Assessment of Tunnels and Bridges*, vol. 214, pp. 118–125. Geotechnical Special Publication, Reston (2011)
- [5] Rytter, A.: Vibration BASED inspection of civil engineering structures. Department of Building Technology and Structural Engineering, Aalborg University, Denmark (1993)
- [6] Alexander Makarenkot, Multiple-Valued and Branching Neural Networks, *Engineering World*, pp. 20-28, Volume 2, 2020.
- [7] Gulnara N. Nabyeva, Stephen M. Wheeler, *Geographic Information Systems as a Tool to Support the Sustainable Development Goals*, *Engineering World*, pp. 219-226, Volume 2, 2020.
- [8] Elnabwy, M.T., Kaloop, M.R., Elbeltagi, E.: Talkha steel highway bridge monitoring and movement identification using RTK-GPS technique. *Measurement* 46, 4282–4292 (2013)
- [9] Psimoulis, P.A., Stiros, S.C.: A supervised learning computer-based algorithm to derive the amplitude of oscillations of structures using noisy GPS and robotic theodolites (RTS) records. *Comput. Struct.* 92–93, 337–348 (2012)
- [10] Zhu, X.Q., Law, S.S.: Wavelet-based crack identification of bridge beam from operational deflection time history. *Int. J. Solids Struct.* 43, 2299–2317 (2006)
- [11] Zhang, W.W., Wang, Z.H., Ma, H.W.: Studies on wavelet packet-based crack detection for a beam under the moving load. *Key Eng. Mater.* 413–414, 285–290 (2009)
- [12] Hester, D., González, A.: A wavelet-based damage detection algorithm based on bridge acceleration response to a vehicle. *Mech. Syst. Signal Process.* 28, 145–166 (2012)
- [13] Bradley, M., González, A., Hester D.: Analysis of the structural response to a moving load using empirical mode decomposition, p. 117. Taylor & Francis, London (2010)
- [14] Huang, N.E., Huang, K., Chiang, W.-L.: HHT based bridge structural health-monitoring method. In: *Hilbert-Huang Transform and Its Applications*, pp. 263–287. World Scientific (2014)
- [15] González, A., Hester, D.: An investigation into the acceleration response of a damaged beam-type structure to a moving force. *J. Sound Vib.* 332, 3201–3217 (2013)
- [16] He, W., Zhu, S.: Moving load-induced response of damaged beam and its application in damage localization. *J. Vib. Control* 22, 3601–3617 (2016)
- [17] OBrien, E., Carey, C., Keenahan, J.: Bridge damage detection using ambient traffic and moving force identification. *Struct. Control Health Monit.* 22, 1396–1407 (2015)
- [18] Li, Z.H., Au, F.T.K.: Damage detection of a continuous bridge from response of a moving vehicle. *Shock Vib.* 2014, 1–7 (2014)
- [19] Park, J., Moon, D.-S., Spencer, B.F.: Neutral-axis identification using strain and acceleration measurements. In: *The 2017 World Congress on Advances in Structural Engineering and Mechanics (ASEM 2017)*, Seoul, Korea (2017)
- [20] Barrile, V., Fotia, A., Leonardi, G., Pucinotti, R., *Geomatics and Soft Computing Techniques for Infrastructural Monitoring*, *Sustainability* 2020, Vol.12, 1606. doi:10.3390/su12041606
- [21] Barrile, V., Fotia, A., Bernardo, E., Bilotta, G., Modafferi, A., *Road Infrastructure Monitoring: An Experimental Geomatic Integrated System*, In: Gervasi O. et al. (eds) *Computational Science and Its Applications – ICCSA 2020. ICCSA 2020. Lecture Notes in Computer Science*, vol 12252. Springer, Cham 2020, pp. 634-648. Doi:10.1007/978-3-030-58811-3_46

- [22] Sigurdardottir, D.H., Glisic, B.: Neutral axis as damage sensitive feature. *Smart Mater. Struct.* 22, 075030 (2013)
- [23] Sigurdardottir, D.H., Glisic, B.: Detecting minute damage in beam-like structures using the neutral axis location. *Smart Mater. Struct.* 23, 125042 (2014)
- [24] Sigurdardottir, D.H., Glisic, B.: The neutral axis location for structural health monitoring: an overview. *J. Civ. Struct. Health Monit.* 5(5), 703–713 (2015). <https://doi.org/10.1007/s13349-015-0136-5>
- [25] Ye, X., Jin, T., Yun, C.: A review on deep learning-based structural health monitoring of civil infrastructures. *Smart Struct. Syst.* 24(5), 567–585 (2019)
- [26] Barrile, V., Candela, G., Fotia, A.: Point cloud segmentation using image processing techniques for structural analysis. *ISPRS Int. Arch. Photogramm. Remote Sens. Spat. Inf. Sci.* XLII-2/W11, 187–193 (2019)
- [27] Barrile, V., Candela, G., Fotia, A., Bernardo, E.: UAV survey of bridges and viaduct: workflow and application. In: Misra, S., et al. (eds.) *ICCSA 2019. LNCS*, vol. 11622, pp. 269–284. Springer, Cham (2019). https://doi.org/10.1007/978-3-030-24305-0_21
- [28] Voutetaki, M.E., Papadopoulos, N.A., Angeli, G.M., Providakis, C.P.: Investigation of a new experimental method for damage assessment of RC beams failing in shear using piezoelectric transducers. *Eng. Struct.* 114, 226–240 (2016)
- [29] Karayannis, C.G., Voutetaki, M.E., Chalioris, C.E., Providakis, C.P., Angeli, G.M.: Detection of flexural damage stages for RC beams using Piezoelectric sensors (PZT). *Smart Struct. Syst.* 15, 997–1018 (2015)
- [30] Kaloop, M.R., Li, H.: Multi input-single output models identification of tower bridge movements using GPS monitoring system. *Measurement* 47, 531–539 (2014)
- [31] Chen, Y., Xue, X.: Advances in the structural health monitoring of bridges using piezoelectric transducers. *Sensors* 18, 4312 (2018)
- [32] Liao, W.I., Hsiao, F.P., Chiu, C.K., Ho, C.E.: Structural health monitoring and interface damage detection for infill reinforced concrete walls in seismic retrofit of reinforced concrete frames using piezoceramic-based transducers under the cyclic loading. *Appl. Sci.* 9, 312 (2019)
- [33] Moschas, F., Stiros, S.: Measurement of the dynamic displacements and of the modal frequencies of a short-span pedestrian bridge using GPS and an accelerometer. *Eng. Struct.* 33, 10–17 (2011)
- [34] Moschasa, F., Stiros, S.: Noise characteristics of short-duration, high frequency GPS records. In: *Advanced Mathematical and Computational Tools in Metrology and Testing. Series on Advances in Mathematics for Applied Sciences*, vol. 84, pp. 284–291 (2012)
- [35] Matarazzo, T.J., Pakzad, S.N.: Scalable structural modal identification using dynamic sensor network data with STRIDEX. *Comput. Aided Civ. Infrastruct. Eng.* 33(1), 4–20 (2018)
- [36] Qu, K., Tang, H.S., Agrawal, A., Cai, Y., Jiang, C.B.: Numerical investigation of hydrodynamic load on bridge deck under joint action of solitary wave and current. *Appl. Ocean Res.* 75, 100–116 (2018). <https://doi.org/10.1016/j.apor.2018.02.020>
- [37] Wu, D., Yuan, C., Kumfera, W., Liu, H.: A life-cycle optimization model using semi-Markov process for highway bridge maintenance. *Appl. Math. Model.* 43, 45–60 (2017)
- [38] Fukuda, Y., Feng, M.Q., Narita, Y., Kaneko, S., Tanaka, T.: Vision-based displacement sensor for monitoring dynamic response using robust object search algorithm. *IEEE Sens. J.* 13, 4725–4732 (2013)
- [39] Lydon, D., Lydon, M., Taylor, S., Del Rincon, J.M., Hester, D., Brownjohn, J.: Development and field testing of a vision-based displacement system using a low cost wireless action camera. *Mech. Syst. Signal Process.* 121, 343–358 (2019). ISSN 0888-3270
- [40] Li, S., Zuo, X., Li, Z., Wang, H.: Applying deep learning to continuous bridge deflection detected by fiber optic gyroscope for damage detection. *Sensors* 20(3), 911 (2020)
- [41] Matarazzo, T.J., Pakzad, S.N.: Structural identification for mobile sensing with missing observations. *J. Eng. Mech.* 142(5), 04016021 (2016)
- [42] Barbaro, G., Fiamma, V., Barrile, V., Foti, G., Ielo, G. Analysis of the shoreline changes of Reggio Calabria (Italy) *International Journal of Civil Engineering and Technology*, 2017, 8(10), pp. 1777-1791
- [43] Barrile, V., Meduri, G., Bilotta, G. Laser scanner surveying techniques aiming to the study and the spreading of recent architectural structures. *Proceedings of the 9th WSEAS International Conference on Signal, Speech and Image Processing, SSIP '09, Proc. 9th WSEAS Int. Conf. Multimedia, Internet and Video Technologies, MIV '09, 2009*, pp. 92-95

- [44] Postorino, M.N., Barrile, V., Cotroneo, F. Surface movement ground control by means of a GPS-GIS system *Journal of Air Transport Management*, 2006, 12(6), pp. 375-381
- [45] Barrile, V., Bilotta, G., D'Amore, E., Meduri, G.M., Trovato, S. Structural modeling of a historic castle using close range photogrammetry *International Journal of Mathematics and Computers in Simulation*, 2016, 10, pp. 370-380
- [46] Barrile, V., Candela, G., Fotia, A., Bernardo, E. UAV Survey of Bridges and Viaduct: Workflow and Application. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2019, 11622 LNCS, pp. 269-284
- [47] Barrile, V., Bilotta, G., Fotia, A. Analysis of hydraulic risk territories: Comparison between LIDAR and other different techniques for 3D modeling *WSEAS Transactions on Environment and Development*, 2018, 14, pp. 45-52

Creative Commons Attribution License 4.0 (Attribution 4.0 International , CC BY 4.0)

This article is published under the terms of the Creative Commons Attribution License 4.0 https://creativecommons.org/licenses/by/4.0/deed.en_US

Contribution of individual authors to the creation of a scientific article (ghostwriting policy)

Rossella Nocera contributed to the manuscript redaction.

Author Contributions: Please, indicate the role and the contribution of each author:

Example

John Smith, Donald Smith carried out the simulation and the optimization.

George Smith has implemented the Algorithm 1.1 and 1.2 in C++.

Maria Ivanova has organized and executed the experiments of Section 4.

George Nikolov was responsible for the Statistics.

[Follow: www.wseas.org/multimedia/contributor-role-instruction.pdf](http://www.wseas.org/multimedia/contributor-role-instruction.pdf)

Sources of funding for research presented in a scientific article or scientific article itself

Report potential sources of funding if there is any