

Italian Botanist 9

Supplementary data to Notulae to the Italian alien vascular flora: 9

Edited by G. Galasso, F. Bartolucci

Categories concerning the occurrence status of taxa follow Galasso et al. (2018).

1. Nomenclatural updates

Family	Nomenclature according to Galasso et al. (2018)	Revised nomenclature	References/Note
Asphodelaceae	<i>Aloë maculata</i> All.	<i>Aloë maculata</i> All. subsp. <i>maculata</i>	Klopper et al. (2020)
Solanaceae	<i>Batatas batatas</i> (L.) H.Karst.	<i>Batatas batatas</i> (L.) H.Karst., nom. inval.	Synonym of <i>Ipomoea batatas</i> (L.) Lam.
Lauraceae	<i>Cinnamomum glanduliferum</i> (Wall.) Meisn.	<i>Camphora glandulifera</i> (Wall.) Nees	Huang et al. (2016), Rohde et al. (2017), Trofimov and Rohwer (2020)
Cucurbitaceae	<i>Cucumis sativus</i> L.	<i>Cucumis sativus</i> L. subsp. <i>sativus</i>	
Rosaceae	<i>Malus domestica</i> (Borkh.) Borkh.	<i>Malus domestica</i> (Suckow) Borkh.	According to Art. 41.4 of the ICN (Turland et al. 2018)
Rosaceae	<i>Malus pumila</i> Mill. var. <i>domestica</i> (Borkh.) C.K.Schneid.	<i>Malus pumila</i> Mill. var. <i>domestica</i> (Suckow) C.K.Schneid.	According to Art. 41.4 of the ICN (Turland et al. 2018)
Papaveraceae	<i>Meconopsis cambrica</i> (L.) Vig.	<i>Papaver cambricum</i> L.	Kadereit et al. (2011), Liu et al. (2014)
Onagraceae	<i>Oenothera oakesiana</i> (A.Gray) J.W.Robbins ex S.Watson & J.M.Coult.	<i>Oenothera oakesiana</i> (A.Gray) J.W.Robbins ex S.Watson	Priority combination
Rosaceae	<i>Pyrus malus</i> L. var. <i>domestica</i> Borkh.	<i>Pyrus malus</i> L. var. <i>domestica</i> Suckow	According to Art. 41.4 of the ICN (Turland et al. 2018)
Salviniaceae	<i>Salvinia adnata</i> Desv.	<i>Salvinia molesta</i> D.S.Mitch.	The proposal to reject the name <i>Salvinia adnata</i> Desv. (Schwartzburd and Miranda 2017) was recommended by the Nomenclature Committee for Vascular Plants (Applequist 2019)
Poaceae	<i>Setaria pumila</i> (Poir.) Roem. & Schult.	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pumila</i>	
Dipsacaceae	<i>Trochocephalus proliferus</i> (L.) Á.Löve & D.Löve	<i>Trochocephalus prolifer</i> (L.) Á.Löve & D.Löve	According to Art. 23.5 of the ICN (Turland et al. 2018); synonym of <i>Lomelosia proliferata</i> (L.) Greuter & Burdet
Liliaceae	<i>Tulipa gesneriana</i> L.	<i>Tulipa gesneriana</i> L. subsp. <i>gesneriana</i>	
Violaceae	<i>Viola wittrockiana</i> Gams	<i>Viola wittrockiana</i> Gams ex Nauenb. & Buttler	Nauenburg and Buttler (2007)

2. Note updates

Family	Taxon	Note update	References/Note
Fabaceae	<i>Acacia meisneri</i> Lehm. ex Meisn.	Confused with <i>A. provincialis</i> A.Camus.	Misprint in Galasso et al. (2018)
Buxaceae	<i>Buxus microphylla</i> Siebold & Zucc.	N CAS CLT Probably directly domesticated from <i>B. microphylla</i> Siebold & Zucc. var. <i>japonica</i> (Müll.Arg.) Rehder & E.H.Wilson (Japan; Ohba 1999)	Ohba (1999)
Poaceae	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	Directly domesticated from <i>C. americanus</i> (L.) Morrone subsp. <i>chudeaui</i> (Maire & Trab.) Banfi & Galasso (= <i>C. americanus</i> (L.) Morrone subsp. <i>monodii</i> (Maire) Sosef) (W-Sahara; Burgarella et al. 2018)	Burgarella et al. (2018)
Cucurbitaceae	<i>Cucumis sativus</i> L. subsp. <i>sativus</i>	Directly domesticated from <i>C. sativus</i> L. subsp. <i>hardwickii</i> (Royle) Banfi & Galasso (India; de Wilde and Duyfjes 2008;	de Wilde and Duyfjes (2008), Sebastian et al. (2010), Nesom (2011), Qi et al. (2013), Liu et al. (2015)

		Sebastian et al. 2010; Nesom 2011; Qi et al. 2013; Liu et al. 2015))	
Moraceae	<i>Ficus benjamina</i> L.	Only planted.	
Moraceae	<i>Ficus retusa</i> L.	Confused with <i>F. microcarpa</i> L.f.	
Solanaceae	<i>Ipomoea batatas</i> (L.) Lam.	Directly domesticated from the same species, <i>I. batatas</i> (L.) Lam., a natural autohexaploid arisen naturally in pre-human times in tropical America from diploid <i>I. trifida</i> (Kunth) G. Don (Hirst 2016; Muñoz-Rodríguez et al. 2018; Wood et al. 2020)	Hirst (2016), Muñoz-Rodríguez et al. (2018), Wood et al. (2020)
Onagraceae	<i>Oenothera adriatica</i> Soldano	T N INV According to Hassler (2020), this species could be a heterotypic synonym of <i>O. drawertii</i> Renner ex Rostański	Hassler (2020)
Papaveraceae	<i>Papaver croceum</i> Ledeb.	T N CAS <i>Papaver croceum</i> is a species native to southern Siberia, central Asia, and northern China, and has for more than 200 years been cultivated as ornamental (Siberian poppy) and erroneously traded as <i>P. nudicaule</i> L. (Elven et al. 2020+). However, according to several authors (e.g., Zhang and Grey-Wilson 2008), it would fall within the variability of a highly polymorphic <i>P. nudicaule</i> .	Zhang and Grey-Wilson (2008), Elven et al. (2020+)
Papaveraceae	<i>Papaver nudicaule</i> L.	Confused with <i>P. croceum</i> Ledeb., a species native to southern Siberia, central Asia, and northern China, and for more than 200 years cultivated as ornamental (Siberian poppy) and erroneously traded as <i>P. nudicaule</i> (Elven et al. 2020+)	Elven et al. (2020+)
Solanaceae	<i>Petunia atkinsiana</i> (Sweet) D. Don ex W.H. Baxter	Parentage: <i>P. axillaris</i> (Lam.) Britton, Sterns & Poggenb. × <i>P. inflata</i> R.E. Fr. (<i>P. integrifolia</i> clade) (Bombarely et al. 2016)	Bombarely et al. (2016)
Fabaceae	<i>Phaseolus coccineus</i> L.	Directly domesticated from the same species, <i>P. coccineus</i> L. (Mexico; Guerra-García et al. 2017)	Guerra-García et al. (2017)
Solanaceae	<i>Physalis longifolia</i> Nutt.	Confused with <i>P. virginiana</i> Mill. <i>P. longifolia</i> is an accepted name, not a synonym of <i>P. virginiana</i> (Pretz and Deanna 2020)	Pretz and Deanna (2020)
Salviniaceae	<i>Salvinia molesta</i> D.S. Mitch.	The last sentence becomes: Schwartsburd and Miranda (2017) proposed to reject this name, and their proposal was recommended by the Nomenclature Committee for Vascular Plants (Applequist 2019).	Schwartsburd and Miranda (2017), Applequist (2019)
Solanaceae	<i>Solanum lycopersicum</i> L.	Directly domesticated from <i>S. lycopersicum</i> L. var. <i>cerasiforme</i> Alef. (Mexico) with some contributions from <i>S. pimpinellifolium</i> L. (Razifard et al. 2020)	Razifard et al. (2020)
Liliaceae	<i>Tulipa gesneriana</i> L. subsp. <i>gesneriana</i>	N CAS CLT Directly domesticated from <i>T. gesneriana</i> L. subsp. <i>schrenkii</i> (Regel) Nyman (≡ <i>T. schrenkii</i> Regel = <i>T. suaveolens</i> Roth)	Kritskaya et al. (2020)

	(Crimea; Kritskaya et al. 2020)	
--	---------------------------------	--

3. Distribution updates

Family	Taxon	Distribution update	References/Note
Fabaceae	<i>Acacia retinodes</i> Schldl.	NP LOM, NP CAM, NP SAR	Misprint in Galasso et al. (2018)
Actinidiaceae	<i>Actinidia deliciosa</i> (A.Chev.) C.F.Liang & A.R.Ferguson	P A CAS TOS	Arrigoni (2019)
Crassulaceae	<i>Aeonium haworthii</i> Webb & Berthel.	P A NAT CAL	Musarella et al. (2020)
Asparagaceae	<i>Agave filifera</i> Salm-Dyck	N CAS ITA; P A CAS CAL	Musarella et al. (2020)
Poaceae	<i>Agropyron desertorum</i> (Fisch. ex Link) Schult.	P A CAS VDA	Rey et al. (2019)
Asphodelaceae	<i>Aloë maculata</i> All.	P A CAS ABR	Conti et al. (2019)
Asphodelaceae	<i>Aloë vera</i> (L.) Burm.f.	P A NAT CAL	Musarella et al. (2020)
Amaranthaceae	<i>Alternanthera paronychioides</i> A.St.-Hil. subsp. <i>paronychioides</i>	T N CAS ITA; P A CAS LIG	Iamónico and Sánchez-Del Pino (2015)
Amaranthaceae	<i>Alternanthera pungens</i> Kunth	P A CAS TOS	Iamónico and Sánchez-Del Pino (2015)
Amaranthaceae	<i>Alternanthera pungens</i> Kunth	NP LAZ	The record by Arrigoni (2019) is wrong
Amaranthaceae	<i>Alternanthera sessilis</i> (L.) R.Br. ex DC.	NP LOM, NP TOS	Misprint in Galasso et al. (2018)
Apiaceae	<i>Anethum graveolens</i> L.	P A CAS SIC	Giardina et al. (2007)
Basellaceae	<i>Anredera cordifolia</i> (Ten.) Steenis	P A CAS BAS	Rosati et al. (2020)
Apocynaceae	<i>Araujia sericifera</i> Brot.	P A CAS CAL	Musarella et al. (2020)
Apocynaceae	<i>Asclepias physocarpa</i> (E.Mey.) Schltr.	P A CAS CAL	Rosati et al. (2020)
Poaceae	<i>Avena strigosa</i> Schreb.	NP TAA	The record for TAA (Englmaier and Wilhalm 2018) derives from a misprint (T. Wilhalm, pers. commun.)
Salviniaceae	<i>Azolla cristata</i> Kaulf.	N NAT ITA; P A NAT LOM	Brusa and Bona (2019)
Campanulaceae	<i>Campanula poscharskyana</i> Degen	P A CAS LAZ	Rosati et al. (2020)
Brassicaceae	<i>Cardamine occulta</i> Hornem.	P A CAS ABR	Conti et al. (2019)
Brassicaceae	<i>Cardamine occulta</i> Hornem.	P A CAS CAL	Musarella et al. (2020)
Poaceae	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	N CAS CLT ITA; P A CAS VEN	Englmaier and Wilhalm (2018)
Poaceae	<i>Cenchrus flaccidus</i> (Griseb.) Morrone	N CAS ITA; P A CAS TAA	Wilhalm et al. (2014), Englmaier and Wilhalm (2018)
Poaceae	<i>Cenchrus longisetus</i> M.C.Johnst.	P A CAS CAL	Rosati et al. (2020)
Poaceae	<i>Cenchrus purpurascens</i> Thunb.	P A CAS TAA	Wilhalm et al. (2014), Englmaier and Wilhalm (2018)
Poaceae	<i>Cenchrus setaceus</i> (Forssk.) Morrone	P A NAT CAL	Musarella et al. (2020)
Brassicaceae	<i>Chorispora tenella</i> (Pall.) DC.	P A NAT VDA	Bovio et al. (2019b)
Poaceae	<i>Coix lacryma-jobi</i> L.	P A CAS VEN	Englmaier and Wilhalm (2018)
Commelinaceae	<i>Commelina erecta</i> L.	P A CAS CAL	Rosati et al. (2020)
Brassicaceae	<i>Conringia orientalis</i> (L.) Andrz. ex DC.	P A CAS CAM	Rosati et al. (2020)
Rubiaceae	<i>Coprosma repens</i> A.Rich.	N CAS ITA; P A CAS SAR	Rosati et al. (2020)
Asparagaceae	<i>Cordyline australis</i> (G.Forst.) Endl.	P A CAS SAR	Rosati et al. (2020)
Asteraceae	<i>Cotula australis</i> (Sieber ex Spreng.) Hook.f.	P A CAS CAM	Conti et al. (2019)
Convolvulaceae	<i>Cuscuta suaveolens</i> Ser.	NP TOS	The record for TOS (Arrigoni 2019) derives from a <i>Cuscuta campestris</i> Yunck. sample of R. Cucini that was wrongly determined (F. Roma-Marzio, pers. commun.)
Cyperaceae	<i>Cyperus alternifolius</i> L. subsp. <i>flabelliformis</i> Kük.	P A CAS CAL	Musarella et al. (2020)
Poaceae	<i>Digitaria ciliaris</i> (Retz.) Koeler	P A FVG, P A NAT CAL	Wilhalm T (2009)
Asteraceae	<i>Eclipta prostrata</i> (L.) L.	P A NAT ABR	Conti et al. (2019)
Onagraceae	<i>Epilobium nummularifolium</i> R.Cunn. ex A.Cunn.	N CAS ITA; P A CAS SAR	Rosati et al. (2020)
Poaceae	<i>Eragrostis mexicana</i> (Hornem.) Link subsp. <i>virescens</i> (J.Presl) S.D.Koch & Sánchez Vega	P A NAT VDA	Bovio et al. (2019a)

Euphorbiaceae	<i>Euphorbia hypericifolia</i> L.	P A CAS CAL	Musarella et al. (2020)
Euphorbiaceae	<i>Euphorbia nutans</i> Lag.	P A CAS BAS, P A CAS SAR	Rosati et al. (2020)
Polygonaceae	<i>Fagopyrum esculentum</i> Moench	P A CAS BAS, P A CAS CAL	Rosati et al. (2020)
Moraceae	<i>Ficus microcarpa</i> L.f.	P A CAS BAS	Rosati et al. (2020)
Moraceae	<i>Ficus microcarpa</i> L.f.	P A CAS CAL	Musarella et al. (2020)
Verbenaceae	<i>Glandularia tenera</i> (Spreng.) Cabrera	P A CAS SAR	Rosati et al. (2020)
Fabaceae	<i>Gleditsia triacanthos</i> L.	P A CAS BAS	Rosati et al. (2020)
Poaceae	<i>Glyceria grandis</i> S.Watson	N CAS ITA; P A CAS VEN	Portal (2014), Englmaier and Wilhelm (2018)
Juncaceae	<i>Juncus tenuis</i> Willd.	P A NAT VDA	Bovio and Broglio (2019)
Crassulaceae	<i>Kalanchoë ×houghtonii</i> D.B.Ward	P A NAT BAS	Rosati et al. (2020)
Verbenaceae	<i>Lantana montevidensis</i> (Spreng.) Briq.	P A CAS SAR	Rosati et al. (2020)
Fabaceae	<i>Lathyrus oleraceus</i> Lam. subsp. <i>oleraceus</i>	P A CAS FVG	Rottensteiner (2014, 2016, 2018)
Fabaceae	<i>Leucaena leucocephala</i> (Lam.) de Wit subsp. <i>glabrata</i> (Rose) Zárate	P A CAS CAL	Musarella et al. (2020)
Apiaceae	<i>Levisticum officinale</i> W.D.J.Koch	P A CAS FVG	Rottensteiner (2014, 2019)
Iridaceae	<i>Limniris ensata</i> (Thunb.) Rodion.	NP PIE, NP LOM	Misprint in Galasso et al. (2018)
Poaceae	<i>Lolium remotum</i> Schrank	NP FVG	Poldini et al. (2001)
Poaceae	<i>Lolium temulentum</i> L.	EX TAA	The record of currently presence for TAA (Englmaier and Wilhelm 2018) derives from a misprint (T. Wilhelm, pers. commun.)
Caprifoliaceae	<i>Lonicera japonica</i> Thunb.	P A CAS BAS	Rosati et al. (2020)
Fabaceae	<i>Medicago ×varia</i> Martyn	P A CAS FVG	Rottensteiner (2014, 2018)
Myrtaceae	<i>Metrosideros excelsa</i> Sol. ex Gaertn.	N CAS ITA; P A CAS SAR	Rosati et al. (2020)
Amaryllidaceae	<i>Narcissus papyraceus</i> Ker Gawl.	P A CAS CAL	Musarella et al. (2020)
Asparagaceae	<i>Nectaroscilla hyacinthoides</i> (L.) Parl.	P A CAS UMB	Conti et al. (2019)
Solanaceae	<i>Nicandra physalodes</i> (L.) Gaertn.	P A CAS CAL	Rosati et al. (2020)
Amaryllidaceae	<i>Nothoscordum gracile</i> (Aiton) Stearn	P A CAS CAL	Rosati et al. (2020)
Asparagaceae	<i>Oncostema peruvianum</i> (L.) Speta	N CAS ITA; P A CAS TOS	Lazzeri et al. (2015)
Oxalidaceae	<i>Oxalis debilis</i> Kunth	P A CAS CAL	Rosati et al. (2020)
Oxalidaceae	<i>Oxalis latifolia</i> Kunth	P A CAS CAL	Rosati et al. (2020)
Poaceae	<i>Panicum barbipulvinatum</i> Nash	P A CAS VEN	Englmaier and Wilhelm (2018)
Poaceae	<i>Panicum miliaceum</i> L. subsp. <i>ruderales</i> (Kitag.) Tzvelev	NP VEN	The record for VEN (Englmaier and Wilhelm 2018) derives from a sample of <i>C. Argenti</i> that was wrongly determined (<i>C. Argenti</i> , pers. commun.)
Papaveraceae	<i>Papaver croceum</i> Ledeb.	P A CAS LOM	<i>Papaver croceum</i> is a species native to southern Siberia, central Asia, and northern China, and has for more than 200 years been cultivated as ornamental (Siberian poppy) and erroneously traded as <i>P. nudicaule</i> L. (Elven et al. 2020+)
Papaveraceae	<i>Papaver nudicaule</i> L.	NP ITA; NP LOM	<i>Papaver croceum</i> Ledeb. is a species native to southern Siberia, central Asia, and northern China, and has for more than 200 years been cultivated as ornamental (Siberian poppy) and erroneously traded as <i>P.</i> <i>nudicaule</i> (Elven et al. 2020+)
Poaceae	<i>Paspalum notatum</i> Flügge	P A CAS BAS	Rosati et al. (2020)
Apiaceae	<i>Petroselinum crispum</i> (Mill.) Fuss	P A CAS FVG	Rottensteiner (2014, 2019)
Apiaceae	<i>Petroselinum crispum</i> (Mill.) Fuss	P A CAS CAL	Musarella et al. (2020)
Apiaceae	<i>Petroselinum crispum</i> (Mill.) Fuss	P A CAS SIC	Giardina et al. (2007)

Fabaceae	<i>Phaseolus coccineus</i> L.	N CAS CLT ITA; P A CAS FVG	Rottensteiner (2014, 2018)
Fabaceae	<i>Phaseolus vulgaris</i> L. subsp. <i>vulgaris</i>	P A CAS FVG	Rottensteiner (2014, 2018)
Arecaceae	<i>Phoenix canariensis</i> H.Wildpret	P A CAS BAS	Rosati et al. (2020)
Arecaceae	<i>Phoenix canariensis</i> H.Wildpret	P A CAS CAL	Musarella et al. (2020)
Verbenaceae	<i>Phyla nodiflora</i> (L.) Greene	P A CAS MAR	Rosati et al. (2020)
Poaceae	<i>Phyllostachys aurea</i> Carrière ex Rivière & C.Rivière	P A CAS CAL	Rosati et al. (2020)
Solanaceae	<i>Physalis angulata</i> L.	P A CAS CAL	Musarella et al. (2020)
Solanaceae	<i>Physalis longifolia</i> Nutt.	N NAT ITA; P A NAT PIE, P A CAS LOM	This is an accepted name, not a synonym of <i>P. virginiana</i> (Pretz and Deanna 2020)
Solanaceae	<i>Physalis peruviana</i> L.	P A CAS CAL	Rosati et al. (2020)
Solanaceae	<i>Physalis virginiana</i> Mill.	NP ITA; NP PIE, NP LOM	Confused with <i>P. longifolia</i> Nutt.
Pittosporaceae	<i>Pittosporum crassifolium</i> Banks & Sol.	N CAS ITA; P A CAS SAR	Rosati et al. (2020). Author citation according to Art. 46 of the ICN (Turland et al. 2018)
Plumbaginaceae	<i>Plumbago auriculata</i> Lam.	P A CAS CAL	Rosati et al. (2020)
Portulacaceae	<i>Portulaca grandiflora</i> Hook.	P A CAS TOS	Misprint in Galasso et al. (2018)
Rosaceae	<i>Prunus laurocerasus</i> L.	P A CAS CAL	Musarella et al. (2020)
Rubiaceae	<i>Rubia tinctorum</i> L.	P A NAT SIC	Giardina et al. (2007)
Polygonaceae	<i>Rumex thyrsiflorus</i> Fingerh.	P A CAS TOS	Arrigoni (2019)
Poaceae	<i>Saccharum biflorum</i> Forssk.	P A NAT CAL	Musarella et al. (2020)
Salicaceae	<i>Salix ×fragilis</i> L.	P A NAT LOM	Ardenghi (2019)
Salvinaceae	<i>Salvinia minima</i> Baker	N CAS ITA; P A CAS CAL	Rosati et al. (2020)
Lamiaceae	<i>Satureja hortensis</i> L.	P A NAT ABR	Conti et al. (2019)
Crassulaceae	<i>Sedum palmeri</i> S.Watson	P A CAS CAL	Musarella et al. (2020)
Fabaceae	<i>Senna corymbosa</i> (Lam.) H.S.Irwin & Barneby	P A CAS CAL	Musarella et al. (2020)
Solanaceae	<i>Solandra maxima</i> (Sessé & Moc.) P.S.Green	P A CAS CAL, P A CAS SIC	Rosati et al. (2020)
Asteraceae	<i>Solidago ×niederederi</i> Khek	N CAS ITA; N CAS TAA	Pagitz (2016), Pliszko et al. (2019)
Poaceae	<i>Sorghum bicolor</i> (L.) Moench subsp. <i>bicolor</i>	P A CAS SIC	Giardina et al. (2007)
Poaceae	<i>Sporobolus clandestinus</i> (Biehler) Hitchc.	NP PIE	The record by Abbà (1982) is wrong (Abbà 1991)
Poaceae	<i>Sporobolus indicus</i> (L.) R.Br.	P A NAT MAR	Conti et al. (2019)
Asteraceae	<i>Tagetes erecta</i> L.	P A CAS BAS	Rosati et al. (2020)
Asteraceae	<i>Tagetes erecta</i> L.	P A CAS CAL	Musarella et al. (2020)
Aizoaceae	<i>Tetragonia tetragonoides</i> (Pall.) Kuntze	P A CAS SAR	Rosati et al. (2020)
Poaceae	<i>Thinopyrum obtusiflorum</i> (DC.) Banfi	D A FVG	The record by Englmaier and Wilhelm (2018) is doubtful as it is without <i>exiccata</i>
Fabaceae	<i>Vicia lens</i> (L.) Coss. & Germ. subsp. <i>lens</i>	P A CAS FVG	Rottensteiner (2014, 2018)
Fabaceae	<i>Vigna unguiculata</i> (L.) Walp.	P A CAS FVG	Rottensteiner (2014, 2018)
Fabaceae	<i>Wisteria sinensis</i> (Sims) DC.	P A CAS CAL	Rosati et al. (2020)

4. Synonyms, misapplied or included names

Family	Synonyms, misapplied or included names	Accepted name	Note
Asparagaceae	<i>Agave filamentosa</i> Salm-Dyck	<i>Agave filifera</i> Salm-Dyck	
Asparagaceae	<i>Agave filifera</i> Salm-Dyck var. <i>filamentosa</i> (Salm-Dyck) Baker	<i>Agave filifera</i> Salm-Dyck	
Solanaceae	<i>Alicabon barbadense</i> (Jacq.) Raf.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Alkekengi fissum</i> Moench, nom. illeg.	<i>Physalis viscosa</i> L.	Pretz and Deanna (2020)
Asphodelaceae	<i>Aloë arborescens</i> Mill. subsp. <i>mzimnyati</i> Van Jaarsv. & A.E.van Wyk	<i>Aloë arborescens</i> Mill.	Klopper et al. (2020)
Poaceae	<i>Alopecurus typhoides</i> Burm.f.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Solanaceae	<i>Amphione lobata</i> Raf., nom. illeg.	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Asparagaceae	<i>Basaltogeton peruvianum</i> (L.) Salisb., comb. inval.	<i>Oncostema peruvianum</i> (L.) Speta	
Solanaceae	<i>Batatas betacea</i> Lindl.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Batatas cavaniillesii</i> (Roem. & Schult.) G.Don	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)

Solanaceae	<i>Batatas edulis</i> (Thunb. ex Murray) Choisy	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Batatas edulis</i> (Thunb. ex Murray) Choisy var. <i>porphyrorhiza</i> (Griseb.) Ram.Goyena	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Batatas edulis</i> (Thunb. ex Murray) Choisy var. <i>xanthorhiza</i> (Bojer) Choisy	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Batatas senegalensis</i> (Lam.) G.Don	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Batatas wallii</i> Morren	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Batatas xanthorhiza</i> Bojer	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Asparagaceae	<i>Bonapartea filamentosa</i> (Salm-Dyck) Boucen.	<i>Agave filifera</i> Salm-Dyck	
Buxaceae	<i>Buxus sempervirens</i> L. var. <i>microphylla</i> (Siebold & Zucc.) Makino	<i>Buxus microphylla</i> Siebold & Zucc.	
Solanaceae	<i>Cacabus parviflorus</i> Rusby	<i>Physalis viscosa</i> L.	Pretz and Deanna (2020)
Poaceae	<i>Cenchrus centrasiaticus</i> (Tzvelev) Verloove	<i>Cenchrus flaccidus</i> (Griseb.) Morrone	
Poaceae	<i>Cenchrus spicatus</i> (L.) Cav.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Cenchrus spicatus</i> (L.) Kuntze, isonym	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Chaetochloa glauca</i> (L.) Scribn.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Chamaeraphis glauca</i> (L.) Kuntze	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Solanaceae	<i>Cleimera cuspidata</i> Raf.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Convolvuloides triloba</i> Moench, nom. rej.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Convolvulus attenuatus</i> M.Martens & Galeotti	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus batata</i> Vell.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus bogotensis</i> Kunth	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Convolvulus caeruleus</i> (Roxb.) Spreng.	<i>Ipomoea nil</i> (L.) Roth	
Solanaceae	<i>Convolvulus candicans</i> Sol. ex Sims	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Convolvulus cavanillesii</i> (Roem. & Schult.) Spreng.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Convolvulus ciliolatus</i> Michx.	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Convolvulus coccineus</i> (L.) Salisb. var. <i>typicus</i> Kuntze, nom. inval.	<i>Ipomoea coccinea</i> L.	Wood et al. (2020)
Solanaceae	<i>Convolvulus congestus</i> (R.Br.) Spreng., non R.Br., nom. illeg.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Convolvulus cordatifolius</i> Vell.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus dillenii</i> Desr.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Convolvulus edulis</i> Thunb. ex Murray	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus edulis</i> Vell., nom. illeg.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus esculentus</i> Salisb., nom. illeg.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus esculentus</i> Vell., non Salisb., nom. illeg.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus fastigiatus</i> Roxb.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus hederaceus</i> L., non <i>Ipomoea hederacea</i> Jacq.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Convolvulus heptaphyllus</i> Willd.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Convolvulus heterophyllus</i> Sessé & Moc., non Willd., nom. illeg.	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	<i>Convolvulus lymphaticus</i> Vell.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Convolvulus mollis</i> Kunth, non Burm.f., nom. illeg.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Convolvulus mutabilis</i> (Ker Gawl.) Spreng., non Salisb., nom. illeg.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Convolvulus mutabilis</i> Salisb., nom. illeg.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)

Solanaceae	<i>Convolvulus paniculatus</i> Naves	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Convolvulus peruvianus</i> Spreng.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Convolvulus platanifolius</i> Vahl	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus portoricensis</i> Spreng.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Convolvulus pudibundus</i> Lindl.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Convolvulus quinquelobus</i> Vahl	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Convolvulus roseus</i> Mill.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Convolvulus rubrocaeruleus</i> (Hook.) D.Dietr.	<i>Ipomoea tricolor</i> Cav.	Wood et al. (2020)
Solanaceae	<i>Convolvulus tomentosus</i> Vell.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Convolvulus tuberculatus</i> Desr.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Convolvulus tuberosus</i> Vell., non Spreng., nom. illeg.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus variabilis</i> Schldl. & Cham.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus varius</i> Vell.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Convolvulus venustus</i> Spreng.	<i>Ipomoea tricolor</i> Cav.	Wood et al. (2020)
Rosaceae	<i>Crataegus bibas</i> Lour.	<i>Rhaphiolepis bibas</i> (Lour.) Galasso & Banfi	
Poaceae	<i>Glyceria americana</i> (Torr.) Pammel	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Glyceria aquatica</i> (L.) J.Presl & C.Presl var. <i>americana</i> (Torr.) Vasey ex Gatt.	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Glyceria arundinacea</i> Kunth subsp. <i>grandis</i> (S.Watson) Tzvelev	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Glyceria flavescens</i> M.E.Jones	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Glyceria grandis</i> S.Watson f. <i>pallescens</i> Fernald	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Glyceria maxima</i> (Hartm.) Holmb. f. <i>pallescens</i> (Fernald) B.Boivin	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Glyceria maxima</i> (Hartm.) Holmb. subsp. <i>grandis</i> (S.Watson) Hultén	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Glyceria maxima</i> (Hartm.) Holmb. var. <i>americana</i> (Torr.) B.Boivin	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Glyceria maxima</i> (Hartm.) Holmb. var. <i>grandis</i> (S.Watson) Breitung	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Gymnotrix flaccida</i> (Griseb.) Munro ex Aitch.	<i>Cenchrus flaccidus</i> (Griseb.) Morrone	
Poaceae	<i>Holcus spicatus</i> L.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Asparagaceae	<i>Hyacinthus peruvianus</i> (L.) Vilm.	<i>Oncostema peruvianum</i> (L.) Speta	
Balsaminaceae	<i>Impatiens scabrada</i> auct., non DC.	<i>Impatiens cristata</i> Wall.	
Solanaceae	<i>Ipomoea affinis</i> M.Martens & Galeotti	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea amoena</i> Blume	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea apiculata</i> M.Martens & Galeotti	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea batatas</i> (L.) Lam. f. <i>trifida</i> Moldenke	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea batatas</i> (L.) Lam. var. <i>apiculata</i> (M.Martens & Galeotti) J.A.McDonald & D.F.Austin	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea batatas</i> (L.) Lam. var. <i>dissoluta</i> Kuntze	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea batatas</i> (L.) Lam. var. <i>edulis</i> (Thunb. ex Murray) Makino	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea batatas</i> (L.) Lam. var. <i>fastigiata</i> (Roxb.) Kuntze	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea batatas</i> (L.) Lam. var. <i>leucorrhiza</i> Griseb.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea batatas</i> (L.) Lam. var.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)

	<i>lobata</i> Gagnep. & Courchet		
Solanaceae	<i>Ipomoea batatas</i> (L.) Lam. var. <i>porphyrorhiza</i> Griseb.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea batatas</i> (L.) Lam. var. <i>subscandens</i> Kuntze	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea bicolor</i> Lam.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea bogotensis</i> (Kunth) G.Don	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea bouvetii</i> Duchass. & Walp.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea caerulea</i> Roxb.	<i>Ipomoea nil</i> (L.) Roth	
Solanaceae	<i>Ipomoea caerulescens</i> Roxb.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea cairica</i> (L.) Sweet var. <i>gracillima</i> (Collett & Hemsl.) C.Y.Wu	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea cairica</i> (L.) Sweet var. <i>hederacea</i> Hallier f.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea cairica</i> (L.) Sweet var. <i>lineariloba</i> (Hillebr.) O.Deg. & Ooststr.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea cairica</i> (L.) Sweet var. <i>obtusata</i> Hoehne	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea cairica</i> (L.) Sweet var. <i>semine-glabra</i> (Blatt. & Hallb.) Bhandari	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea cairica</i> (L.) Sweet var. <i>uniflora</i> Hoehne, nom. illeg.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea candicans</i> (Sol. ex Sims) Sweet	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Ipomoea cataractae</i> Endl.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea catesbaei</i> G.Mey.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea cathartica</i> Poir.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea cavanillesii</i> Roem. & Schult.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea chanetii</i> H.Lév.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea ciliolata</i> (Michx.) Pers.	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Ipomoea ciliosa</i> Pursh, nom. illeg.	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Ipomoea confertiflora</i> Standl.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea congesta</i> R.Br.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea congesta</i> R.Br. var. <i>brevipedunculata</i> Hochr.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea cuspidata</i> Ruiz & Pav.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea davidsoniae</i> Standl.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea dealbata</i> (M.Martens & Galeotti) Hemsl.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea diehlii</i> M.E.Jones	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea dillenii</i> (Desr.) Roem. & Schult.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea discolor</i> Jacq., nom. rej.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea edulis</i> (Thunb. ex Murray) Niederl.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea eustachiana</i> Jacq.	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	<i>Ipomoea fastigiata</i> (Roxb.) Sweet	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea fastigiata</i> (Roxb.) Sweet var. <i>ciliata</i> Huber	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea fastigiata</i> (Roxb.) Sweet var. <i>platanifolia</i> (Vahl) Griseb.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea funaria</i> Larrñaga	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea galapagensis</i> Andersson	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	<i>Ipomoea githaginea</i> A.Rich.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea glandulifera</i> Ruiz & Pav.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea gracillima</i> (Collett & Hemsl.) Prain. non Peter, nom. illeg.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea halierca</i> I.M.Johnst.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea hederacea</i> auct. non Jacq.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)

Solanaceae	<i>Ipomoea hederacea</i> Jacq. var. <i>himalaica</i> C.B.Clarke	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea hederacea</i> Jacq. var. <i>integrifolia</i> (Choisy) C.B.Clarke	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea heptaphylla</i> Voigt, nom. illeg.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea hirsutula</i> J.Jacq.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea hirta</i> M.Martens & Galeotti	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	<i>Ipomoea hispida</i> Zuccagni	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea hookeri</i> G.Don, nom. illeg.	<i>Ipomoea tricolor</i> Cav.	Wood et al. (2020)
Solanaceae	<i>Ipomoea indica</i> (Burm.) Merr. f. <i>albiflora</i> B.C.Stone	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea indica</i> (Burm.) Merr. var. <i>variabilis</i> (Schltdl. & Cham.) L.O.Williams	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea insularis</i> (Choisy) Steud.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea intermedia</i> Schult.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea jamaicensis</i> G.Don f. <i>triloba</i> Arechav.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea jamaicensis</i> G.Don var. <i>glabrata</i> Griseb.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea jamaicensis</i> G.Don var. <i>glabrata</i> Meisn., non Griseb., nom. illeg.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea jamaicensis</i> G.Don var. <i>intermedia</i> Meisn.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea jamaicensis</i> G.Don var. <i>sericea</i> Meisn.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea karwinskiana</i> Regel	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Ipomoea krugii</i> Urb.	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	? <i>Ipomoea laxiflora</i> H.J.Chowdhery & Debta	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	<i>Ipomoea lilacina</i> Schrank	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea longicuspis</i> Meisn. var. <i>brevipes</i> Meisn.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea longicuspis</i> Meisn., nom. illeg.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea mexicana</i> A.Gray	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea mollis</i> G.Don	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea mucronata</i> Schery	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea mutabilis</i> Ker Gawl.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea nil</i> (L.) Roth var. <i>setosa</i> Boerl.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea palmata</i> Forssk.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea palmata</i> Forssk. var. <i>gracillima</i> Collett & Hemsl.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea palmata</i> Forssk. var. <i>semine-glabra</i> Blatt. & Hallb.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea pandurata</i> (L.) G.Mey. f. <i>leviuscula</i> Fernald	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Ipomoea pandurata</i> (L.) G.Mey. var. <i>candicans</i> (Sol. ex Sims) Choisy	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Ipomoea pandurata</i> (L.) G.Mey. var. <i>hastata</i> Chapm.	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Ipomoea pandurata</i> (L.) G.Mey. var. <i>rubescens</i> Choisy	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Ipomoea parviflora</i> Vahl	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	<i>Ipomoea pentaphylla</i> Cav., non Jacq., nom. illeg.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea pilosissima</i> M.Martens & Galeotti	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea platanifolia</i> (Vahl) Roem. & Schult.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea portoricensis</i> (Spreng.) G.Don	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea pudibunda</i> (Lindl.) G.Don	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea pulchella</i> Roth	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)

Solanaceae	<i>Ipomoea punctata</i> Macfad.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Ipomoea punctata</i> Pers.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea purpurea</i> (L.) Roth f. <i>triloba</i> Meisn.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea purpurea</i> (L.) Roth var. <i>diversifolia</i> (Lindl.) O'Donell	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea purpusii</i> House	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea quinqueloba</i> (Vahl) Roem. & Schult.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea rosea</i> Choisy var. <i>pluripartita</i> Hassl.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea rubrocaerulea</i> Hook.	<i>Ipomoea tricolor</i> Cav.	Wood et al. (2020)
Solanaceae	<i>Ipomoea scabra</i> Forssk.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea schiedeana</i> Ham., non Zucc., nom. illeg.	<i>Ipomoea tricolor</i> Cav.	Wood et al. (2020)
Solanaceae	<i>Ipomoea schrenkiana</i> Peter	<i>Ipomoea pandurata</i> (L.) G.Mey.	Wood et al. (2020)
Solanaceae	<i>Ipomoea senegalensis</i> Lam.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea setosa</i> Blume, non Ker Gawl., nom. illeg.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea stipulacea</i> Jacq.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea stipulacea</i> Jacq. f. <i>pluriflora</i> Meisn., nom. inval.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea stipulacea</i> Jacq. f. <i>uniflora</i> Meisn., nom. illeg.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea tabascana</i> J.A.McDonald & D.F.Austin	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea tiliacea</i> (Willd.) Choisy var. <i>merremioides</i> Fosberg	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea tiliacea</i> (Willd.) Choisy var. <i>smithii</i> Fosberg	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea trichocalyx</i> Steud., non G.Don, nom. illeg.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea triloba</i> L. var. <i>eustachiana</i> (Jacq.) Griseb.	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	<i>Ipomoea triloba</i> L. var. <i>genuina</i> Meisn., nom. inval.	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	<i>Ipomoea triloba</i> L. var. <i>quinqueloba</i> Kuntze	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	<i>Ipomoea tuberculata</i> (Desr.) Roem. & Schult.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea tuberculata</i> (Desr.) Roem. & Schult. var. <i>abbreviata</i> Choisy	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea tuberculata</i> (Desr.) Roem. & Schult. var. <i>lineariloba</i> Hillebr.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea tuberculata</i> (Desr.) Roem. & Schult. var. <i>trichosperma</i> Hillebr.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea vaniotiana</i> H.Lév.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea variabilis</i> (Schltdl. & Cham.) Choisy	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea vesiculosa</i> P.Beauv.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Solanaceae	<i>Ipomoea villosa</i> Ruiz & Pav.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea violacea</i> auct., non L.	<i>Ipomoea tricolor</i> Cav.	Wood et al. (2020)
Solanaceae	<i>Ipomoea vulsa</i> House	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea wallii</i> (Morren) Hemsl.	<i>Ipomoea batatas</i> (L.) Lam.	Wood et al. (2020)
Solanaceae	<i>Ipomoea wattii</i> C.B.Clarke	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Ipomoea zuccagnii</i> Roem. & Schult., nom. illeg.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Poaceae	<i>Ixophorus glaucus</i> (L.) Nash	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Asparagaceae	<i>Melomphis peruviana</i> (L.) Raf.	<i>Oncostema peruvianum</i> (L.) Speta	
Myrtaceae	<i>Metrosideros tomentosa</i> A.Rich.	<i>Metrosideros excelsa</i> Sol. ex Gaertn.	
Solanaceae	<i>Modesta mutabilis</i> (Ker Gawl.) Raf.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Modesta tuberculata</i> (Desr.) Raf.	<i>Ipomoea cairica</i> (L.) Sweet	Wood et al. (2020)
Myrtaceae	<i>Nani tomentosa</i> (A.Rich.) Kuntze	<i>Metrosideros excelsa</i> Sol. ex Gaertn.	
Onagraceae	<i>Oenothera baurii</i> Boedijn	<i>Oenothera depressa</i> Greene	Hassler (2020)

Onagraceae	<i>Oenothera lamarckiana</i> auct., non Ser.	<i>Oenothera glazioviana</i> Micheli	Hassler (2020)
Onagraceae	<i>Oenothera lipsiensis</i> Rostański & Gutte	<i>Oenothera deflexa</i> R.R.Gates	Hassler (2020)
Onagraceae	<i>Oenothera oakesiana</i> (A.Gray) J.W.Robbins ex S.Watson & J.M.Coult., isonym	<i>Oenothera oakesiana</i> (A.Gray) J.W.Robbins ex S.Watson	
Onagraceae	<i>Oenothera sackvillensis</i> R.R.Gates var. <i>royfraseri</i> (R.R.Gates) R.R.Gates	<i>Oenothera royfraseri</i> R.R.Gates	
Onagraceae	<i>Oenothera salicifolia</i> auct., non Desf. ex Lehm.	<i>Oenothera depressa</i> Greene	Hassler (2020)
Onagraceae	<i>Oenothera vrieseana</i> H.Lév.	<i>Oenothera glazioviana</i> Micheli	Hassler (2020)
Amaranthaceae	<i>Oplotheca gracilis</i> Hook.	<i>Froelichia gracilis</i> (Hook.) Moq.	
Poaceae	<i>Panicularia americana</i> (Torr.) MacMill.	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Panicularia grandis</i> (S.Watson) Nash	<i>Glyceria grandis</i> S.Watson	
Poaceae	<i>Panicum americanum</i> L.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Panicum glaucum</i> L.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Panicum pallide-fuscum</i> Schumach.	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pallide-fusca</i> (Schumach.) B.K.Simon	
Poaceae	<i>Panicum spicatum</i> (L.) Roxb.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Papaveraceae	<i>Papaver nudicaule</i> auct., non L.	<i>Papaver croceum</i> Ledeb.	
Poaceae	<i>Penicillaria roxburghii</i> Müll.Berol., nom. illeg.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Penicillaria spicata</i> (L.) Willd.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Penicillaria typhoidea</i> Fig. & De Not., nom. illeg.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum americanum</i> (L.) K.Schum., comb. inval.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum americanum</i> (L.) Leeke	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum americanum</i> (L.) Leeke [convar.] <i>spicatum</i> (L.) Tzvelev	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum americanum</i> (L.) Leeke [convar.] <i>typhoides</i> (Burm.f.) Tzvelev	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum americanum</i> (L.) Leeke subsp. <i>spicatum</i> (L.) Maire & Weiller	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum americanum</i> (L.) Leeke subsp. <i>typhoideum</i> Maire & Weiller, nom. illeg.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum centrasiaticum</i> Tzvelev	<i>Cenchrus flaccidus</i> (Griseb.) Morrone	
Poaceae	<i>Pennisetum flaccidum</i> Griseb.	<i>Cenchrus flaccidus</i> (Griseb.) Morrone	
Poaceae	<i>Pennisetum glaucum</i> (L.) P.Beauv.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum spicatum</i> (L.) Körn.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum spicatum</i> (L.) Körn. var. <i>typhoideum</i> T.Durand & Schinz, nom. illeg.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum spicatum</i> (L.) Roem. & Schult., comb. inval.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum typhoides</i> (Burm.f.) Stapf & C.E.Hubb.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Pennisetum typhoideum</i> Rich., nom. illeg.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Solanaceae	<i>Pharbitis acuminata</i> (Vahl) Choisy var. <i>congesta</i> (R.Br.) Choisy	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Pharbitis bogotensis</i> (Kunth) Choisy	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)

Solanaceae	<i>Pharbitis caerulea</i> (Roxb.) Petern., isonym	<i>Ipomoea nil</i> (L.) Roth	
Solanaceae	<i>Pharbitis caerulea</i> (Roxb.) Wall. ex O'Shaugnessy	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis calycosa</i> A.Rich.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Pharbitis cathartica</i> (Poir.) Choisy	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Pharbitis cuspidata</i> (Ruiz & Pav.) D.Don	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis dealbata</i> M.Martens & Galeotti	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Pharbitis diversifolia</i> Lindl.	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis forskoeii</i> G.Don	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis grandiflora</i> Beurl.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Pharbitis hispida</i> (Zuccagni) Choisy	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis hispida</i> (Zuccagni) Choisy var. <i>imberbis</i> Beurl.	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Pharbitis insularis</i> Choisy	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Pharbitis limbata</i> Lindl.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis medians</i> Choisy	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Pharbitis mollis</i> (G.Don) Choisy	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Pharbitis nil</i> (L.) Choisy var. <i>abbreviata</i> Choisy	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis nil</i> (L.) Choisy var. <i>diversifolia</i> (Lindl.) Choisy	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis nil</i> (L.) Choisy var. <i>integrifolia</i> Choisy	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis nil</i> (L.) Choisy var. <i>limbata</i> (Lindl.) Hook.f.	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis punctata</i> (Pers.) G.Don	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis purpurea</i> (L.) Voigt	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis purshii</i> G.Don	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Solanaceae	<i>Pharbitis rosea</i> Choisy	<i>Ipomoea indica</i> (Burm.) Merr.	Wood et al. (2020)
Solanaceae	<i>Pharbitis rubrocaerulea</i> (Hook.) Planch.	<i>Ipomoea tricolor</i> Cav.	Wood et al. (2020)
Solanaceae	<i>Pharbitis speciosa</i> Choisy	<i>Ipomoea nil</i> (L.) Roth	Wood et al. (2020)
Fabaceae	<i>Phaseolus multiflorus</i> Lam. var. <i>coccineus</i> (L.) DC.	<i>Phaseolus coccineus</i> L.	
Fabaceae	<i>Phaseolus multiflorus</i> Lam., nom. illeg.	<i>Phaseolus coccineus</i> L.	
Fabaceae	<i>Phaseolus vulgaris</i> L. var. <i>coccineus</i> (L.) L.	<i>Phaseolus coccineus</i> L.	
Solanaceae	<i>Physalis angulata</i> L. f. <i>ramosissima</i> (Mill. ex Dunal) Stehlé	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis angulata</i> L. var. <i>capsicifolia</i> (Dunal) Griseb.	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis angulata</i> L. var. <i>lanceifolia</i> (Nees) Waterf.	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis angulata</i> L. var. <i>pendula</i> (Rydb.) Waterf.	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis angulata</i> L. var. <i>ramosissima</i> (Mill. ex Dunal) O.E.Schulz	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis barbadensis</i> Jacq.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis barbadensis</i> Jacq. var. <i>glabra</i> (Michx.) Fernald	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis barbadensis</i> Jacq. var. <i>obscura</i> (Michx.) Rydb.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis capsicifolia</i> Dunal	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis cavaleriesi</i> H.Lév.	<i>Physalis philadelphica</i> Lam.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis chenopodiifolia</i> Willd., non Lam., nom. illeg	<i>Physalis philadelphica</i> Lam.	
Solanaceae	<i>Physalis esquirolii</i> H.Lév. & Vaniot	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis floridana</i> Rydb.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis glabriuscula</i> Dunal	<i>Physalis viscosa</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis hirsuta</i> M.Martens & Galeotti	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis hirsuta</i> M.Martens & Galeotti var. <i>barbadensis</i> (Jacq.)	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)

	Dunal		
Solanaceae	<i>Physalis hirsuta</i> M.Martens & Galeotti var. <i>integrifolia</i> Dunal	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis hirsuta</i> M.Martens & Galeotti var. <i>repandodentata</i> Dunal	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis hygrophila</i> Mart.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis hylophila</i> Standl.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis integrifolia</i> (Dunal) D.B.Ward.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis ixocarpa</i> Brot. ex Hornem. var. <i>immaculata</i> (Waterf.) Kartesz & Gandhi	<i>Physalis ixocarpa</i> Brot. ex Hornem.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis ixocarpa</i> Brot. ex Hornem. var. <i>parviflora</i> (Waterf.) Kartesz & Gandhi	<i>Physalis ixocarpa</i> Brot. ex Hornem.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis laevigata</i> M.Martens & Galeotti	<i>Physalis philadelphica</i> Lam.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis lanceifolia</i> Nees	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis lanceolata</i> Michx. var. <i>longifolia</i> (Nutt.) Trel.	<i>Physalis longifolia</i> Nutt.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis latiphysa</i> Waterf.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis linkiana</i> Nees	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis longifolia</i> Nutt. var. <i>subglabrata</i> (Mack. & Bush) Cronquist	<i>Physalis longifolia</i> Nutt.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis longifolia</i> Nutt. var. <i>subglabrata</i> (Mack. & Bush) Cronquist f. <i>macrophysa</i> (Rydb.) Waterf.	<i>Physalis longifolia</i> Nutt.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis longifolia</i> Nutt. var. <i>subglabrata</i> (Mack. & Bush) Cronquist f. <i>macrophysa</i> (Rydb.) Steyerl., isonym	<i>Physalis longifolia</i> Nutt.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis longifolia</i> Nutt. var. <i>subglabrata</i> (Mack. & Bush) Steyerl., isonym	<i>Physalis longifolia</i> Nutt.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis macrophysa</i> Rydb.	<i>Physalis longifolia</i> Nutt.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis margaranthoides</i> Rusby	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis mendocina</i> Phil.	<i>Physalis viscosa</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis miraflorensis</i> Dunal	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis monticola</i> C.Mohr	<i>Physalis virginiana</i> Mill.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis neesiana</i> Sendtn.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis obscura</i> Michx.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis obscura</i> Michx. var. <i>glabra</i> Michx.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis obscura</i> Michx. var. <i>viscidopubescens</i> Michx.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis pendula</i> Rydb.	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis philadelphica</i> Lam. f. <i>pilosa</i> Waterf.	<i>Physalis philadelphica</i> Lam.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis philadelphica</i> Lam. subsp. <i>ixocarpa</i> (Brot. ex Hornem.) Sobr.-Vesp. & Sanz-Elorza	<i>Physalis ixocarpa</i> Brot. ex Hornem.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis philadelphica</i> Lam. var. <i>immaculata</i> Waterf.	<i>Physalis ixocarpa</i> Brot. ex Hornem.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis philadelphica</i> Lam. var. <i>minor</i> Dunal	<i>Physalis philadelphica</i> Lam.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis philadelphica</i> Lam. var. <i>parviflora</i> Waterf.	<i>Physalis ixocarpa</i> Brot. ex Hornem.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis pubescens</i> L. var. <i>glabra</i> (Michx.) Waterf.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis pubescens</i> L. var. <i>hygrophila</i> (Mart.) Dunal	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis pubescens</i> L. var. <i>integrifolia</i> (Dunal) Waterf.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis pubescens</i> L. var. <i>minutifolia</i> O.E.Schulz	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis ramosissima</i> Mill. ex Dunal	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis subglabrata</i> Mack. &	<i>Physalis longifolia</i> Nutt.	Pretz and Deanna (2020)

	Bush		
	<i>Physalis surinamensis</i> Miq.	<i>Physalis angulata</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis turbinata</i> Medik.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis villosa</i> Mill.	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis virginiana</i> auct. Fl. Ital., non Mill.	<i>Physalis longifolia</i> Nutt.	
Solanaceae	<i>Physalis virginiana</i> Mill. var. <i>campaniforma</i> Waterf.	<i>Physalis virginiana</i> Mill.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis virginiana</i> Mill. var. <i>subglabrata</i> (Mack. & Bush) Waterf.	<i>Physalis longifolia</i> Nutt.	Pretz and Deanna (2020)
Solanaceae	<i>Physalis viscidopubescens</i> (Michx.) Dunal	<i>Physalis pubescens</i> L.	Pretz and Deanna (2020)
Pittosporaceae	<i>Pittosporum crassifolium</i> Sol. ex Putt., isonym	<i>Pittosporum crassifolium</i> Banks & Sol.	
Poaceae	<i>Poa aquatica</i> L. var. <i>americana</i> Torr.	<i>Glyceria grandis</i> S.Watson	
Rosaceae	<i>Pyrus bibas</i> (Lour.) M.F.Fay & Christenh.	<i>Rhaphiolepis bibas</i> (Lour.) Galasso & Banfi	
Solanaceae	<i>Quamoclit eustachiana</i> (Jacq.) G.Don	<i>Ipomoea triloba</i> L.	Wood et al. (2020)
Solanaceae	<i>Quamoclit purpurea</i> (L.) M.Gómez	<i>Ipomoea purpurea</i> (L.) Roth	Wood et al. (2020)
Fabaceae	<i>Racosperma meisneri</i> auct., non (Lehm. ex Meisn.) Pedley	<i>Acacia provincialis</i> A.Camus	
Rosaceae	<i>Rhaphiolepis loquata</i> B.B.Liu & J.Wen, nom. superfl.	<i>Rhaphiolepis bibas</i> (Lour.) Galasso & Banfi	
Asparagaceae	<i>Scilla hemisphaerica</i> (L.) Boiss., nom. illeg.	<i>Oncostema peruvianum</i> (L.) Speta	
Asparagaceae	<i>Scilla peruviana</i> L.	<i>Oncostema peruvianum</i> (L.) Speta	
Poaceae	<i>Setaria glauca</i> (L.) P. Beauv.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Poaceae	<i>Setaria glauca</i> (L.) P.Beauv. var. <i>pallide-fusca</i> (Schumach.) T.Koyama	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pallide-fusca</i> (Schumach.) B.K.Simon	
Poaceae	<i>Setaria pallide-fusca</i> (Schumach.) Stapf & C.E.Hubb.	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pallide-fusca</i> (Schumach.) B.K.Simon	
Poaceae	<i>Setariopsis glauca</i> (L.) Samp.	<i>Cenchrus americanus</i> (L.) Morrone subsp. <i>americanus</i>	
Asteraceae	<i>Solidago canadensis</i> L. × <i>Solidago virgaurea</i> L. subsp. <i>virgaurea</i>	<i>Solidago</i> × <i>niederederi</i> Khek	
Cupressaceae	<i>Thuja gigantea</i> Nutt.	<i>Thuja plicata</i> Donn ex D.Don	
Violaceae	<i>Viola wittrockiana</i> Gams ex Kappert, nom. inval.	<i>Viola wittrockiana</i> Gams ex Nauenb. & Buttler	Nauenburg and Buttler (2007)
Violaceae	<i>Viola wittrockiana</i> Gams, nom. nud.	<i>Viola wittrockiana</i> Gams ex Nauenb. & Buttler	Nauenburg and Buttler (2007)

References

- Abbà G (1982) Segnalazioni floristiche italiane: 90–93. *Informatore Botanico Italiano* 12(3)[1980]: 341.
- Abbà G (1991) *Sporobolus clandestinus* (Bieler.) Hitchc. da eliminare dalla flora italiana. *Informatore Botanico Italiano* 22(1–2)[1990]: 42.
- Applequist WL (2019) Report of the Nomenclature Committee for Vascular Plants: 70. *Taxon* 68(4): 847–854. <https://doi.org/10.1002/tax.12113>
- Ardenghi NMG (2019) Terzo contributo alla flora esotica della provincia di Sondrio (Lombardia, Italia), con speciale riferimento alla Valchiavenna. *Annali del Museo Civico di Rovereto. Sezione: Archeologia, Storia, Scienze Naturali* 34(2018): 169–211.
- Arrigoni PV (2019) *Flora analitica della Toscana*, Vol. 6. Edizioni Polistampa, Firenze.
- Bombarely A, Moser M, Amrad A, Bao M, Bapaume L, Barry CS, Bliet M, Boersma MR, Borghi L, Bruggmann R, Bucher M, D'Agostino N, Davies K, Druege U, Dudareva N, Egea-Cortines M, Delledonne M, Fernandez-Pozo N, Franken P, Grandont L, Heslop-Harrison JS, Hintzsche J, Johns M, Koes R, Lv X, Lyons E, Malla D, Martinoia E, Mattson

- NS, Morel P, Mueller LA, Muhlemann J, Nouri E, Passeri V, Pezzotti M, Qi Q, Reinhardt D, Rich M, Richert-Pöggeler KR, Robbins TP, Schatz MC, Schranz ME, Schuurink RC, Schwarzacher T, Spelt K, Tang H, Urbanus SL, Vandenbussche M, Vijverberg K, Villarino GH, Warner RM, Weiss J, Yue Z, Zethof J, Quattrocchio F, Sims TL, Kuhlemeier C (2016) Insight into the evolution of the Solanaceae from the parental genomes of *Petunia hybrida*. *Nature Plants* 2(6): 16074. <https://doi.org/10.1038/nplants.2016.74>
- Bovio M, Broglio M (2019) Nota 221. *Juncus tenuis* Willd. (Juncaceae). In: Bovio M (Ed.) Note di aggiornamento al volume Flora vascolare della Valle d'Aosta – 6. *Revue Valdôtaine d'Histoire Naturelle* 73: 96.
- Bovio M, Broglio M, Ganz C (2019a) Nota 222. *Eragrostis mexicana* subsp. *virescens* (J. Presl) S.D. Koch & Sánchez Vega (Poaceae). In: Bovio M (Ed.) Note di aggiornamento al volume Flora vascolare della Valle d'Aosta – 6. *Revue Valdôtaine d'Histoire Naturelle* 73: 96.
- Bovio M, Broglio M, Ganz C, Trompetto G (2019b) Nota 227. *Chorispora tenella* (Pall.) DC. (Brassicaceae). In: Bovio M (Ed.) Note di aggiornamento al volume Flora vascolare della Valle d'Aosta – 6. *Revue Valdôtaine d'Histoire Naturelle* 73: 98–99.
- Brusa G, Bona E (2019) Presenza accertata di una specie del gruppo *Azolla caroliniana*/*A. cristata* (Salviniaceae, Pteridophyta) recentemente trovata spontaneizzata in Italia. *Natura Bresciana* 42: 57–62.
- Burgarella C, Cubry P, Kane NA, Varshney RK, Mariac C, Liu X, Shi C, Thudi M, Couderc M, Xu X, Chitkineni A, Scarcelli N, Barnaud A, Rhoné B, Dupuy C, François O, Berthouly-Salazar C, Vigouroux Y (2018) A western Sahara centre of domestication inferred from pearl millet genomes. *Nature Ecology & Evolution* 2(9): 1377–1380. <https://doi.org/10.1038/s41559-018-0643-y>
- Conti F, Falcinelli F, Giacanelli V, Paolucci M, Pirone G, Proietti E, Stinca A, Bartolucci F (2019) New floristic data of vascular plants from central and southern Italy. *Flora Mediterranea* 29: 215–222. <https://doi.org/10.7320/FIMedit29.215>
- de Wilde WJJO, Duyfjes BEE (2008) The edible Cucurbitaceae of Thailand and Malesia and the wild forms of the cultivated ones. *Sandakania* 17: 43–91.
- Elven R, Murray DF, Petrovsky VV, Solstad H (2020+) Papaveraceae. In: Elven R, Murray DF, Razzhivin VY, Yurtsev BA (Eds) Annotated checklist of the panarctic flora (PAF). Vascular plants. <http://panarcticflora.org/> [accessed 24.01.2020]
- Englmaier P, Wilhalm T (2018) Alien grasses (Poaceae) in the flora of the eastern Alps: contribution to an excursion flora of Austria and the eastern Alps. *Neireichia* 9: 177–245. <https://doi.org/10.5281/zenodo.1196285>
- Giardina G, Raimondo FM, Spadaro V (2007) A catalogue of plants growing in Sicily. *Bocconea* 20: 5–582.
- Guerra-García A, Suárez-Atilano M, Mastretta-Yanes A, Delgado-Salinas A, Piñero D (2017) Domestication genomics of the open-pollinated scarlet runner bean (*Phaseolus coccineus* L.). *Frontiers in Plant Science* 8: 1891. <https://doi.org/10.3389/fpls.2017.01891>
- Hassler M (2020) Neuer Schlüssel und Atlas der Nachtkerzen Europas (Stand 9.9.2019, Ver. 13.8). https://www.researchgate.net/publication/338711476_New_key_and_atlas_of_evening_pri_mroses_Oenothera_in_Europe_in_German_Schlüssel_und_Atlas_der_Nachtkerzen_Europas [accessed 22.01.2020]
- Hirst K (2016) Sweet potato (*Ipomoea batatas*) history and domestication. Domestication and spread of the sweet potato. <https://www.thoughtco.com/sweet-potato-history-and-domestication-170668> [accessed 20.03.2020]

- Huang J-F, Li L, van der Werff H, Li H-W, Rohwer JG, Crayn DM, Meng H-H, van der Merwe M, Conran JG, Li J (2016) Origins and evolution of cinnamon and camphor: a phylogenetic and historical biogeographical analysis of the *Cinnamomum* group (Lauraceae). *Molecular Phylogenetics and Evolution* 96: 33–44. <https://doi.org/10.1016/j.ympev.2015.12.007>
- Iamónico D, Sánchez-del Pino I (2015) Taxonomic revision of the genus *Alternanthera* (Amaranthaceae) in Italy. *Plant Biosystems* 150(2)[2016]: 333–342. doi:10.1080/11263504.2015.1019588
- Kadereit JW, Preston CD, Valtueña FJ (2011) Is Welsh poppy, *Meconopsis cambrica* (L.) Vig. (Papaveraceae), truly a *Meconopsis*? *New Journal of Botany* 1(2): 80–87. <https://doi.org/10.1179/204234811X13194453002742>
- Klopper RR, Crouch NR, Smith GF, Van Wyk AE (2020) A synoptic review of the aloes (Asphodelaceae, Alooideae) of KwaZulu-Natal, an ecologically diverse province in eastern South Africa. *PhytoKeys* 142: 1–88. <https://doi.org/10.3897/phytokeys.142.48365>
- Kritskaya TA, Kashin AS, Perezhogin YV, Murtazaliev RA, Anatov DM, Friesen N (2020) Genetic diversity of *Tulipa suaveolens* (Liliaceae) and its evolutionary relationship with early cultivars of *T. gesneriana*. *Plant Systematics and Evolution* 306(2): 33. <https://doi.org/10.1007/s00606-020-01667-7>
- Lazzeri V, Sammartino F, Campus G, Caredda A, Mascia F, Mazzoncini V, Testa N, Gestri G (2015) Note floristiche tosco-sarde II: novità regionali e locali e considerazioni tassonomiche per le regioni Sardegna e Toscana. *Annali del Museo Civico di Rovereto. Sezione: Archeologia, Storia, Scienze Naturali* 30(2014): 331–368.
- Liu B, Zhang D, Gao L-Z (2015) The complete chloroplast genome sequence of *Cucumis sativus* var. *hardwickii*, the wild progenitor of cultivated cucumber. *Mitochondrial DNA Part 1* 27(6)[2016]: 4627–4628. <https://doi.org/10.3109/19401736.2015.1101588>
- Liu B-B, Liu G-N, Hong D-Y, Wen J (2020) *Eriobotrya* belongs to *Rhaphiolepis* (Maleae, Rosaceae): evidence from chloroplast genome and nuclear ribosomal DNA data. *Frontiers in Plant Science* 10: 1731. <https://doi.org/10.3389/fpls.2019.01731>
- Liu Y-C, Liu Y-N, Yang F-S, Wang X-Q (2014) Molecular phylogeny of Asian *Meconopsis* based on nuclear ribosomal and chloroplast DNA sequence data. *PLoS ONE* 9(8): e104823. <https://doi.org/10.1371/journal.pone.0104823>
- Muñoz-Rodríguez P, Carruthers T, Wood JRI, Williams BRM, Weitemier K, Kronmiller B, Ellis D, Anglin NL, Longway L, Harris SA, Rausher MD, Kelly S, Liston A, Scotland RW (2018) Reconciling conflicting phylogenies in the origin of sweet potato and dispersal to Polynesia. *Current Biology* 28(8): 1246–1256. <https://doi.org/10.1016/j.cub.2018.03.020>
- Musarella CM, Stinca A, Cano-Ortíz A, Laface VLA, Petrilli R, Esposito A, Spampinato G (2020) New data on the alien vascular flora of Calabria (southern Italy). *Annali di Botanica* 10: 55–65. <https://doi.org/10.13133/2239-3129/14838>
- Nauenburg JD, Buttler KP (2007) Validierung des Namens *Viola wittrockiana*. *Kochia* 2: 37–41.
- Nesom GL (2011) Toward consistency of taxonomic rank in wild/domesticated Cucurbitaceae. *Phytoneuron* 2011–13: 1–33.
- Ohba H (1999) Buxaceae. In: Iwatsuki K, Boufford DE, Ohba H (Eds) *Flora of Japan*, Vol. 2c. Kodansha Ltd., Tokyo, 106–108.
- Pagitz K (2016) *Solidago ×niederederi* (*S. canadensis* × *S. virgaurea* ssp. *virgaurea*) in the eastern Alps. In: Ries C, Krippel Y (Eds) *Biological invasions: interactions with environmental change. Book of abstracts. NEOBIOTA 2016 – 9th International conference on biological invasions. Vianden, Luxembourg, 14–16 September 2016. Fondation faune-flore, Luxembourg*, 194.

- Pliszko A, Adamowski W, Pagitz K (2019) New distribution records of *Solidago ×niederederi* (Asteraceae) in Austria, Italy, and Poland. *Acta Musei Silesiae, Scientiae Naturales* 68(3): 195–199. <https://doi.org/10.2478/cszma-2019-0020>
- Poldini L, Oriolo G, Vidali M (2001) Vascular flora of Friuli Venezia Giulia. An annotated catalogue and synonymic index. *Studia Geobotanica* 21: 3–227.
- Portal R (2014) *Glyceria, Puccinellia, Pseudosclerochloa*. France, pays voisins et Afrique du Nord. Self-published by R. Portal, Vals-près-Le Puy.
- Pretz C, Deanna R (2020) Typifications and nomenclatural notes in *Physalis* (Solanaceae) from the United States. *Taxon* 69(1): 170–192. <https://doi.org/10.1002/tax.12159>
- Qi J, Liu X, Shen D, Miao H, Xie B, Li X, Zeng P, Wang S, Shang Y, Gu X, Du Y, Li Y, Lin T, Yuan J, Yang X, Chen J, Chen H, Xiong X, Huang K, Fei Z, Mao L, Tian L, Städler T, Renner SS, Kamoun S, Lucas WJ, Zhang Z, Huang S (2013) A genomic variation map provides insights into the genetic basis of cucumber domestication and diversity. *Nature Genetics* 45(12): 1510–1515. <https://doi.org/10.1038/ng.2801>
- Razifard H, Ramos A, Della Valle AL, Bodary C, Goetz E, Manser EJ, Li X, Zhang L, Visa S, Tieman D, van der Knaap E, Caicedo AL (2020) Genomic evidence for complex domestication history of the cultivated tomato in Latin America. *Molecular Biology and Evolution* 37(4): 1118–1132. <https://doi.org/10.1093/molbev/msz297>
- Rey C, Rey S, Bovio M, Broglio M (2019) Nota 223. *Agropyron desertorum* (Fisch. ex Link) Schult. (Poaceae). In: Bovio M (Ed.) Note di aggiornamento al volume Flora vascolare della Valle d'Aosta – 6. *Revue Valdôtaine d'Histoire Naturelle* 73: 96–97.
- Rohde R, Rudolph B, Ruthe K, Lorea-Hernández FG, Rodrigues de Moraes PL, Li J, Rohwer JG (2017) Neither *Phoebe* nor *Cinnamomum* – the tetrasporangiate species of *Aiouea* (Lauraceae). *Taxon* 66(5): 1085–1111. <https://doi.org/10.12705/665.6>
- Rosati L, Fascetti S, Romano VA, Potenza G, Lapenna MR, Capano A, Nicoletti P, Farris E, de Lange PJ, Del Vico E, Facioni L, Fanfarillo E, Lattanzi E, Cano-Ortiz A, Marignani M, Fogu MC, Bazzato E, Lallai E, Laface VLA, Musarella CM, Spampinato G, Mei G, Misano G, Salerno G, Esposito A, Stinca A (2020) New chorological data for the Italian vascular flora. *Diversity* 12(1): 22. <https://doi.org/10.3390/d12010022>
- Rottensteiner WK [Ed.] (2014) *Exkursionsflora für Istrien*. Verlag des Naturwissenschaftlichen Vereins für Kärnten, Klagenfurt.
- Rottensteiner WK [Ed.] (2016) Notizen zur „Flora von Istrien“, Teil II. *Joannea Botanik* 13: 73–166.
- Rottensteiner WK [Ed.] (2018) Notizen zur „Flora von Istrien“, Teil IV. *Joannea Botanik* 15: 119–214.
- Rottensteiner WK [Ed.] (2019) Notizen zur „Flora von Istrien“, Teil V. *Joannea Botanik* 16: 81–160.
- Schwartsburd PB, Miranda CV (2017) (2494) Proposal to reject the name *Salvinia adnata* (Salviniaceae). *Taxon* 66(1): 202–203. <https://doi.org/10.12705/661.22>
- Sebastian P, Schaefer H, Telford IRH, Renner SS (2010) Cucumber (*Cucumis sativus*) and melon (*C. melo*) have numerous wild relatives in Asia and Australia, and the sister species of melon is from Australia. *Proceedings of the National Academy of Sciences of the United States of America* 107(32): 14269–14273. <https://doi.org/10.1073/pnas.1005338107>
- Trofimov D, Rohwer JG (2020) Towards a phylogenetic classification of the *Ocotea* complex (Lauraceae): an analysis with emphasis on the Old World taxa and description of the new genus *Kuloa*. *Botanical Journal of the Linnean Society* 192(3): 510–535. <https://doi.org/10.1093/botlinnean/boz088>
- Turland NJ, Wiersema JH, Barrie FR, Greuter W, Hawksworth DL, Herendeen PS, Knapp S, Kusber W-H, Li D-Z, Marhold K, May TW, McNeill J, Monro AM, Prado J, Price MJ,

- Smith GF [Eds] (2018) International Code of Nomenclature for algae, fungi, and plants (Shenzhen Code) adopted by the Nineteenth International Botanical Congress Shenzhen, China, July 2017. *Regnum Vegetabile* 159: 1–254. <https://doi.org/10.12705/Code.2018>
- Wilhelm T (2009) *Digitaria ciliaris* in Europe. *Willdenowia* 39(2): 247–259. <https://doi.org/10.3372/wi.39.39203>
- Wilhelm T, Hilpold A, Hölzl N, Pizzulli A, Winkler J (2014) Ergänzungen und Korrekturen zum Katalog der Gefäßpflanzen Südtirols (6). *Gredleriana* 14: 183–192.
- Wood JRI, Muñoz-Rodríguez P, Williams BRM, Scotland RW (2020) A foundation monograph of *Ipomoea* (Convolvulaceae) in the New World. *PhytoKeys* 143: 1–823. <https://doi.org/10.3897/phytokeys.143.32821>
- Zhang M, Grey-Wilson C (2008) *Papaver* Linnaeus. In: Wu ZY, Raven PH, Hong DY (Eds) *Flora of China*, Vol. 7. Science Press, Beijing, Missouri Botanical Garden Press, St. Louis, 278–280.